



Diva-Lite® LED DMX



iva-Lite[®] LED has two menus, white and color. The white menu gives the user access to **Dimming**, **Kelvin** and **Green/Magenta** control channels and Kelvin range is from 2700K tungsten to 6500K daylight.

In the color menu, the Kelvin range travels from 2500K tungsten to 9900K daylight, and Kino Flo has set up a fourth channel called **Gel**. The Gel channel includes Kino Flo presets such as blue & green screen, sodium vapor, mercury vapor and over 100 well known lighting gels. In addition, there is also a fifth channel called **Hue Angle** and sixth channel, **Saturation**. These two channels behave similarly to a traditional color wheel, where you have white light in the center, the Hue angle determines the color along a 360-degree range, and Saturation determines how much color is applied.

We also recently added Snapbag Softbox and Snapgrid accessories. Features include:

- Tunable Kelvin 2500K to 9900K
- Dimming without color shift
- Green/Magenta control
- Kino Flo presets and Gel presets
- Dial-in color using Hue angle and Saturation control
- Universal input 100-240VAC and 24VDC
- Manual and DMX dimming w/ Auto Terminate
- DMX wireless (Lumen Radio)
- Flicker-free, dead quiet operation
- Built-in Barndoors, Honeycomb Louver, Center Mount

▼ Diva-Lite LED 20 DMX



DIV-L20X-120U Diva-Lite LED 20 DMX, Univ 120U

DIV-L20X-230U Diva-Lite LED 20 DMX, Univ 23011



LVR-SL290-P Diva-Lite 20 Louver/HP, 90° (Included)



MTP-LBC Kino 41 Lollipop w/ Baby Receiver Curve 16mm (Included)

▼ Diva-Lite LED 30 DMX



DIV-L30X-120U Diva-Lite LED 30 DMX, Univ 120U

DIV-L30X-230U Diva-Lite LED 30 DMX, Univ 230U



LVR-SL390-PDiva-Lite 30 Louver/HP, 90° (Included)



MTP-LBC Kino 41 Lollipop w/ Baby Receiver Curve 16mm (Included)

510 161 43 15 11 28 20 Diva-Lite 30 10 12 14 16 18 20 26 18 14 11 Diva-Lite 20 12 20 Feet 10 14 16 18

LUX 7270 2470 1190 683 445 312 233 181 146 117 Diva-Lite 30 Meters 0.5 1.5 25 3.5 4.5 LUX 7113 2409 1121 634 412 288 212 131 Diva-Lite 20 4.5 Meters 0.5 2.5 3.5

Einsteinen	C :	f:	
Fixture	opeci		

Fixture	Input Voltage VAC	Amps VAC	Input Voltage VDC	Amps 24VDC	Kelvin Range	Dimming Range	Dimensions	Weight
Diva-Lite 20	100~240VAC, 50/60Hz, 150W	1.3A	18~36VDC, 150W	7.0A	2700~6500 2500~9900	100%~1%	25 x 13 x 6" (63.5 x 33 x 15cm)	14.5 lb (6.5kg)
Diva-Lite 20	240~100VAC, 50/60Hz, 150W	0.65A	18~36VDC, 150W	7.0A	2700~6500 2500~9900	100%~1%	25 x 13 x 6" (63.5 x 33 x 15cm)	14.5 lb (6.5kg)
Diva-Lite 30	100~240VAC, 50/60Hz, 150W	1.3A	18~36VDC, 150W	7.0A	2700~6500 2500~9900	100%~1%	39 x 10.5 x 6" (99 x 27 x 15cm)	17 lb (8kg)
Diva-Lite 30	240~100VAC, 50/60Hz, 150W	0.65A	18~36VDC, 150W	7.0A	2700~6500 2500~9900	100%~1%	39 x 10.5 x 6" (99 x 27 x 15cm)	17 lb (8kg)

▼ Details





▼ Diva-Lite LED DMX Kits



KIT-DL20X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Travel Case

KIT-DL20X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Travel Case

Contents	Dimensions	Weight
1 Diva-Lite LED 20 Fixture	28.5 x 8.5 x 19.5"	26 lb
1 Travel Case	(72 x 22 x 49.5cm)	(12kg)



KIT-DL30X-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Flight Case

KIT-DL30X-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Flight Case

Contents	Dimensions	Weight
1 Diva-Lite LED 30 Fixture	46 x 11 x 16.5"	43 lb
1 Flight Case	(117 x 28 x 42cm)	(19.5kg)

▼ Diva-Lite LED DMX Accessories/ Cases



DFS-SL20-H

Diva-Lite 20 Flozier, Half

DFS-SL30-H

Diva-Lite 30 Flozier, Half



MTP-B41F Kino Offset w/

Baby Beceiver (16mm)



KAS-DL20

Diva-Lite LED 20 Flight Case



KAS-DL30 Diva-Lite LED 30 Flight Case



BAG-SL20

Diva-Lite LED 20 Soft Case

BAG-SL30

Diva-Lite LED 30 Soft Case



LVR-SL260-P

Diva-Lite 20 Louver/HP, 60°

LVR-SL360-P

Diva-Lite 30 Louver/HP, 60°



STD-M30

Medium Duty, 30"

STD-M36

Medium Duty, 36"



KAS-DL20-C

Diva-Lite LED 20 Travel Case



DFS-SL20-S

DFS-SL30-S Diva-Lite LED 30 Snapbag

Diva-Lite LED 20 Snapbag



STD-D1

Reverse Stand



LVR-SL240-S Diva-Lite LED 20 Snapgrid, 40°



Diva-Lite LED 30 Snapgrid, 40°



Diva-Lite LED 20 Flight Case (2-Unit)

Diva-Lite® LED DMX Kits

▼ Diva-Lite LED 20 DMX Kits



KIT-DL20XB-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Soft Case

KIT-DL20XB-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Soft Case

Co	ntei	nts

1 Diva-Lite LED 20 Fixture 1 Soft Case

Dimensions

31 x 7.5 x 18" (79 x 19 x 46cm)

Weight

19.5 lb (9kg)



KIT-DL20X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Travel Case

KIT-DL20X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Travel Case

Contents

1 Diva-Lite LED 20 Fixture 1 Travel Case

Dimensions

28.5 x 8.5 x 19.5" (72 x 22 x 49.5cm)

Weight

26 lb (12kg)



KIT-DL22X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U (2-Unit) w/ Flight Case

KIT-DL22X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U (2-Unit) w/ Flight Case

Contents

2 Diva-Lite LED 20 Fixture 1 Flight Case

(26kg)

Weight 58 lb

Dimensions

22.5 x 16 x 33.5"

(57 x 41 x 85cm)

▼ Diva-Lite LED 30 DMX Kits



KIT-DL30XB-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Soft Case

KIT-DL30XB-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Soft Case

Contents

1 Diva-Lite LED 30 Fixture 1 Soft Case

Dimensions

42.5 x 7.5 x 16.5" (108 x 19 x 42cm)

Weight

23 lb (10kg)



KIT-DL30X-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Flight Case

KIT-DL30X-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Flight Case

Contents

1 Diva-Lite LED 30 Fixture

1 Flight Case

Dimensions

46 x 11 x 16.5" (117 x 28 x 42cm)

Weight

43 lb (19.5kg)



Kino Flo Lighting Systems 2840 North Hollywood Way Burbank, CA 91505