## **Product Spec Sheet from Rentex**

## **Elmo MX-1 Visual Presenter and Connect Box Bundle**



Mfr Part No. ELM1358 Rentex Product No. ELMO110

## **Detailed Specifications**

The MX-1 Visual Presenter and Connect Box Bundle from Elmo delivers 4K imaging at up to 30 fps and full 1080p video at up to 60 fps. This document camera is powered via a USB 3.0 interface, enabling delay-free viewing of moving objects. The included Connect Box expansion module features HMDI and RGB interfaces, providing a larger choice of display options. A 1/3" CMOS sensor provides 13MP images and the 8x digital zoom enables you to see fine details of displayed objects.

## Features

- Display documents and objects in up to 4K/30 Ultra HD or 1080p/60 HD video
- A fast USB 3.0 port enables viewing of moving objects without delay
- Flexible, slim, lightweight form factor for portability
- An 8x digital zoom and 1/3", 13MP CMOS sensor help to provide optimal images
- The baseplate can be removed to reveal a smaller, magnetic base for use on metal surfaces

| Lens Aperture   | f/2.0  |
|---|--|
| Maximum Frame Rate  | 1080p: 60 fps<br>4K: 30 fps  |
| Shooting Area   | 14.7 x 11" (374 x 281 mm)<br>Ratio: 4.3  |
| Zoom  | 8x digital   |
| Focus   | 1Auto (one-push)   |
| Image Sensor  | 1/3.1" CMOS<br>13 MP   |
| Effective Pixels (H x V)  | 4160 x 3120  |
|   |  |
| Sync Signal   | Internal   |
| , .   | Internal<br>5 VDC, USB bus power   |
| , .   | 5 VDC, USB bus power   |
| Power Source<br>Power Consumption                                 | 5 VDC, USB bus power   |
| Power Source<br>Power Consumption                                 | 5 VDC, USB bus power<br>3.2 W<br>Auto: 0-12 set values                           |
| Power Source<br>Power Consumption<br>Brightness                   | 5 VDC, USB bus power<br>3.2 W<br>Auto: 0-12 set values<br>0-180°                 |
| Power Source<br>Power Consumption<br>Brightness<br>Image Rotation | 5 VDC, USB bus power<br>3.2 W<br>Auto: 0-12 set values<br>0-180°<br>60 Hz, 50 Hz |



24/7/365 Sales & Technical Support